Catalog No. 167ESA-18

Product Details



UPC: 783786468935

Details: Shielded Surge Arrester, ESA Elbow Surge Arrester, 15kV, MCOV KV RMS is 15.30

Product Details

Details

Catalog No.	167ESA-18
Description	SURGE ELBOW ARRESTER 15KV
Std. Package Weight	4.800 LB
Product Family	9IV
Restock Fee	
Customer Reference No.	
Brand Name	ELASTIMOLD
Minimum Order Qty.	1

UPC	783786468935
GSA Compliance	No
Discount Schedule	9I
CCC	
Currency	USD
Notes	No standard price available. Book price displayed
Package Qty.	1
Country Or Territory Of Origin	United States

© 2026 ABB. ® ABB. All third-party trademarks are the property of their respective owners

Specifications

General Characteristics

Category	Surge arrestor
Special Features	EPDM Rubber Construction - Fully Shielded and Fully Submersible for a Variety of Applications. IEEE 386 Interfaces Provide Convenient Energized Connection with other 200 Amp Loadbreak or Deadbreak Components. Compact Size Enables Installation in your Existing Cabinetry, Saving you Money. Number 4 AWG Ground Lead Tethered to the Jacket Withstands 10,000 Amps for 10 Cycles without Fusing. Ground Lead Also Controls ENd Plug when Ejected, Preventing Uncontrolled Trajectory and Maintains the Housing Shield Ground Connection After Failure.
Application	Provide High Voltage Lightning and Switching Surge Protection of Tranformers, Cable, Equipment and other Components typically Located on Underground Power Distribution Systems.
Voltage Rating	15 kV
Amperage Rating	200 A
Insulation	yes
Material	EPDM Molded Rubber

Dimensions and Classifications

Brand Name	Elastimold

© 2026 ABB. ® ABB. All third-party trademarks are the property of their respective owners

by ABB

electrification.us.abb.com

Created On: 10/13/2026

© 2026 ABB. ® ABB. All third-party trademarks are the property of their respective owners